



SOUTHERNIMPLANTS®

Innovative Treatment Solutions

ZYGOMATIC Implants
Product Catalogue





Southern Implants is a leading provider of unique and innovative dental implant products with a focus on top-end professional users who want more choices. Southern's expertise in research, development and manufacturing of dental implants allows us to provide Innovative Treatment Solutions that will reduce treatment times and improve patient outcomes.

Striving for excellence and meeting customer needs, has led to our wide product range characterised by Unique and Innovative products which include:

- Multiple interfaces, to suit customer preference.
- INVERTA® implant, featuring a Body-Shift™ design, engineered for primary stability and suitable for immediate loading.
- Co-Axis®, Subcrestal Angle Correction® implants, available in angulations of 12°, 24° & 36° and various internal and external connections.
- MAX implant, specifically designed for immediate molar tooth replacement.
- The ZYGAN® and ZYGEX implants for severely resorbed maxilla and craniofacial reconstruction.

Our product portfolio is in synchronised evolution with protocol improvements and technological advances.

My sincere thanks to all specialists, dentists and technicians who put their trust in our company.


Graham Blackbeard
Managing Director, Southern Implants

CONTENTS

Zygomatic & ZYGAN® Implants

Implants & Surgical Components.....	Page 06
Prosthetic Flowchart.....	Page 07
Site Preparation Sequences.....	Page 08

Oncology & ZYGEX Implants

Implants & Surgical Components.....	Page 12
Prosthetic Flowchart.....	Page 13
Site Preparation Sequences.....	Page 14

Zygomatic Guided Surgery Drills.....	Page 16
--------------------------------------	---------

Drill Information.....	Page 17
------------------------	---------

Torque Table for Southern Screws.....	Page 20
---------------------------------------	---------

Zygomatic Protocol Synopsis.....	Page 21
----------------------------------	---------

Implant Dimensions and Information.....	Page 22
---	---------

Instrument Trays

I-ZYG-1.....	Page 24
I-PROS-EG.....	Page 26

Explanation of Symbols.....	Page 27
-----------------------------	---------

For more information scan the below




or visit

SOUTHERNIMPLANTS.COM

NOTE:

- Images are for illustration purposes only and do not necessarily accurately represent the product.
- All dimensions in this catalogue are in mm, unless otherwise specified.
- Not all products are cleared for sale in all countries.

ZYGOMATIC & ZYGAN® Implants



ZYG-55-xx

ZYGAN-xx

(where xx is implant length)

NOTE:

- Implant dimensions and information - page 22.
- All ZYGAN® implants are packaged with a Bone Mill fixture mount. For more information refer to CAT-1219.

Implants are premounted and available in lengths of:

ITEM CODE	IMPLANT LENGTH CODES (in mm)
ZYG-55-	35N / 37.5N / 40N / 42.5N / 45N / 47.5N / 50N / 52.5N / 55N / 60N
ZYGAN-	30 / 32.5 / 35 / 37.5 / 40 / 42.5 / 45 / 47.5 / 50 / 52.5 / 55 / 57.5 / 60

Surgical Components

Cover Screw

SCU2



Healing Abutments

TB



2/3/4/5/6/8
lengths

WB




2/3/4/5/6/8
lengths

DIRECT

Healing Abutments




Impression Copings



Laboratory Analogues



Prosthetic Components



Retaining Screws

3 Series Z Screws
Torque 32 - 40 Ncm

2 Series Z Screws
Torque 32 - 40 Ncm

NOTE:

- For optimal coronal hard and soft tissue health, it is strongly recommended that all Southern Zygomatic implants are restored with compact conical abutments (indirect route).
- The direct route is only recommended if there are restorative considerations that preclude the use of compact conical abutments.

INDIRECT

Passive Abutment



1/2/3/4/5
Torque: 20 Ncm

Healing Abutments



OR



Impression Copings



Laboratory Analogues



Prosthetic Components





Retaining Screws

1 Series Screws
Torque 10 - 15 Ncm

Sinus-slot or in-the-wall technique

(illustrations are for 42.5 mm Zygomatic implants)




D-3SPADE-ZYG

D-ZYG-29S

D-ZYG-CS-S

D-ZYG-35S

Exteriorised technique (in-out-in)



D-3SPADE-ZYG

D-ZYG-29S


D-ZYG-CS-S

D-ZYG-35S



NOTE: Site preparation sequence recommended by Southern Implants does not replace the judgement and experience of the surgeon.

Sinus-slot or in-the-wall technique

(illustrations are for 42.5 mm ZYGAN® implants)



Exteriorised technique (in-out-in)



NOTE: Site preparation sequence recommended by Southern Implants does not replace the judgement and experience of the surgeon.



ONC-55



ZYGEX

(where xx is implant length)

Implants are premounted and available in lengths of:

NOTE: Implant dimensions and information - page 22.

ITEM CODE	IMPLANT LENGTH CODES (in mm)
ONC-55-	27.5N / 32.5N / 37.5N / 42.5N / 47.5N
ZYGEX-	30 / 32.5 / 35 / 37.5 / 40 / 42.5 / 45 / 47.5 / 50 / 52.5 / 55 / 57.5 / 60

Surgical Components

Cover Screw

SCU2



Healing Abutments

TB



2/3/4/5/6/8
lengths

WB




2/3/4/5/6/8
lengths

DIRECT

Healing Abutments





Impression Copings



Laboratory Analogues



Prosthetic Components



TIB abutments available in 3 cuff height variants: 0.6 mm, 1.5 mm and 3 mm



Retaining Screws

3 Series Z Screws
Torque 32 - 40 Ncm

2 Series Z Screws
Torque 32 - 40 Ncm

NOTE:

- For optimal coronal hard and soft tissue health, it is strongly recommended that all Southern Zygomatic implants are restored with compact conical abutments (indirect route).
- The direct route is only recommended if there are restorative considerations that preclude the use of compact conical abutments.

INDIRECT

Passive Abutment



Healing Abutments



Impression Copings



Laboratory Analogues



Prosthetic Components





Retaining Screws

1 Series Screws
Torque 10 - 15 Ncm

Maxillectomy



(illustration is for 42.5 mm ONC implant)





NOTE: Site preparation sequence recommended by Southern Implants does not replace the judgement and experience of the surgeon.

Exteriorised technique

(illustrations are for 42.5 mm ZYGEX implants)



Maxillectomy




NOTE: Site preparation sequence recommended by Southern Implants does not replace the judgement and experience of the surgeon.

Zygomatic Guided Surgery Drills


The Zygomatic implant range may be placed utilising the guided surgery drills (D-ZYG-27ST-GSL / D-ZYG-27ST-GSM), which **initiate the osteotomy and create a Ø2.7 mm site at the same time.**

Clinicians are able to either place the implant following the Ø2.7 mm drill (depending on the bone density) or can continue prepping the osteotomy site as per the recommended drilling protocol.

NOTE: The drill is intended for angulation guidance and has no physical stop for depth control. Depth control is still determined by the patient's anatomy and the judgement and experience of the surgeon.



I-GSZ-4128-L8 Ø4.1 mm x 8 mm long
Guided Surgery Sleeve - Zygomatic



NOTE:

- The lip on the guide sleeve, adds 0.25 mm, this does not need to be taken into consideration as most Southern Implants drills extend 1 mm longer.
- **Always plan for at least 2 mm from nerves / anatomical structures.**



D-ZYG-27ST-GSL
Ø2.7 mm
Zygomatic Spade Drill
Long



D-ZYG-27ST-GSM
Ø2.7 mm
Zygomatic Spade Drill
Medium




DRILL INFORMATION

IMPLANT LENGTH (in mm)

ZYGAN® implants used for illustration purposes.


The depth of the prepared implant site and the angulation of the implant head are gauged by use of the angled depth gauge (I-ZYG-DG-1) and the try-in direction indicators (ZYG-TR-55).

The laser markings on the depth gauge correspond to the laser markings on the Zygomatic drills and the implant length.



DRILL INFORMATION

DRILL MARKINGS



Pilot Drills

D-3SPADEZYG



D-ZYG-RB



Ø2.7 mm

D-ZYG-27



D-ZYG-27S



D-ZYG-CH27



D-ZYG-CH-27S



D-ZYG-27ST-GSL



D-ZYG-27ST-GSM



CAUTION:
When drilling close to crucial anatomical landmarks, consider that the drill preparation site may be up to 1 mm deeper than the corresponding implant length.

DRILL INFORMATION

Ø2.9 mm

D-ZYG-29



D-ZYG-29S



D-ZYG-CH-29



D-ZYG-CH-29S



Ø3.5 mm

D-ZYG-35



D-ZYG-35S



D-35FM15



Counter-Sink (Ø3.4 mm)

D-ZYG-CS



D-ZYG-CS-S



TORQUE TABLE FOR SOUTHERN SCREWS

1 Series screws (M1.4)

1.22 Hex			Slotted			Unigrip		TORQUE: 10 - 15 Ncm Head Diameter: 2.25 mm Screw TORQUE with PEEK Prosthetics: 10 - 15 Ncm
								
TSH1	GSH1	BSH1*	TSS1	GSS1	BSS1*	TSU1	GSU1	

2 Series screws (M2)

1.22 Hex		Quad	Slotted			Unigrip		TORQUE: 32 - 40 Ncm Head Diameter: 2.70 mm
								
TSHZ2	BSHZ2*	GSQZ2	TSSZ2	GSSZ2	BSSZ2*	TSUZ2	GSUZ2	

3 Series screws (M2)

								TORQUE: 32 - 40 Ncm Head Diameter: 2.40 mm
TSHZ3	BSHZ3*	GSQZ3	TSSZ3	GSSZ3	BSSZ3*	TSUZ3	GSUZ3	

NOTE: Screw TORQUE with PEEK Prosthetics:
 < Ø4.0 mm implant interfaces: 15 Ncm
 ≥ Ø4.0 mm implant interfaces: 20 Ncm

Digital Laboratory Analogue screw


1.22 Hex	TORQUE: Finger tighten Head Diameter: 2.40 mm
	
LAD-S	

Screw supplied with all Digital Analogues.

NOTE:

- Due to design revisions and changes, screw tips may be flat or rounded.
- Always ensure that the correct screw is used for the relevant implant and component.
- Refer to CAT-8068 for alternative slotted 1 Series screws.
- * Blackened and for laboratory use only.
- Universal drivers are compatible with both 1.22 and 1.27 Hex screws:
 - IHD22U-S/M/L
 - IHH22U-S/M/L
 - IWI22U-S/M/L

Screw Head Connections



Zygomatic Protocol Synopsis

Southern Implants is aware of a number of different protocols currently used by various centres around the world. The classic technique for zygomatic placement involved cutting a sinus window and placing the implant through the sinus. The sinus-slot technique and exteriorised technique have since been developed, with the implant placed through the sinus wall and outside the sinus wall respectively. It has been suggested that the choice of technique should consider the ridge crest concavity and sinus anatomy (Chrcanovic et al. 2013). The ZAGA approach classifies the anatomy into different types to determine the appropriate technique for Zygomatic implant placement (Aparicio et al. 2014).

While the chosen placement technique and implant choice is up to the practitioner's preference, this section illustrates the best Southern Implants Zygomatic implant for each technique using the ZAGA approach.

Anatomy	ZAGA classification	Implant path	Alternate placement technique	ZYG-55	ZYGAN®	ZYGEX	ONC-55
Anterior maxillary wall is very flat	ZAGA 0	Intra-sinus	Classic	✓	✓		
Anterior maxillary wall is slightly concave	ZAGA 1	Intra-extra path	Classic/sinus-slot	✓	✓		
Anterior maxillary wall is concave	ZAGA 2	Extra-intra path	Sinus-slot/exteriorized	✓	✓		
Anterior maxillary wall is very concave	ZAGA 3	Extra-sinus	Exteriorized		✓	✓	✓
Maxilla and alveolar bone show extreme atrophy or maxilla has been resected	ZAGA 4	Extra-maxillary	Extra-alveolar			✓	✓

The quad protocol is placing two implants in one zygoma. The ZYGAN® and ZYGEX are best suited to the quad protocol due to their narrower apex.

The MSC Zygomatic implant (ZYG-55 and ZYGAN®) also captures the advantage of a specific roughness machined coronal surface area that covers the 6 mm crestal portion of the implant. Indicated for patients with higher risk of coronal bone loss (smokers, history of periodontitis and cardiovascular disease).

The new ZYGAN® 'Bone Mill Fixture Mount' aims to provide a multipurpose function where it performs as both the fixture mount required for insertion as well as a bone mill to prep the alveolar bone for abutment seating. The 'Bone Mill Fixture Mount' is designed with cutting edges which engage the alveolar bone at time of insertion.


For more information regarding the ZYGAN® Bone Mill fixture mount, refer to CAT-1219.

References:

- Chrcanovic BR, Abreu MHNG. Survival and complications of zygomatic implants: a systematic review. Oral Maxillofac Surg. 2013 Jun;17(2):81-93.
- Aparicio C, Manresa C, Francisco K, Aparicio A, Nunes J, Claros P, et al. Zygomatic implants placed using the zygomatic anatomy-guided approach versus the classical technique: a proposed system to report rhinosinusitis diagnosis. Clin Implant Dent Relat Res. 2014 Oct;16(5):627-42.


IMPLANT DIMENSIONS AND INFORMATION


RANGE	THREADED CORONAL DIAMETER	MACHINED BODY DIAMETER	PROSTHETIC PLATFORM	ZYGOMA THREAD DIAMETER	HEX WIDTH	HEX HEIGHT	THREAD LENGTH	THREAD PITCH	APEX DIAMETER	PLATFORM or HEAD ANGLE	IMPLANT LENGTHS															
											27.5	30	32.5	35	37.5	40	42.5	45	47.5	50	52.5	55	57.5	60		
ZYG-55	4.3	N/A	4.0	4.3	2.70	0.7	Full	0.6	3.0	55°				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	
ZYGAN	4.3	3.4	4.0	3.4	2.70	0.7	15	0.6	2.8	55°		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
ONC-55	N/A	3.5	4.0	4.3	2.70	0.7	15	0.6	3.0	55°	✓		✓		✓		✓		✓							
ZYGEX	N/A	3.4	4.0	3.4	2.70	0.7	15	0.6	2.8	55°		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓



NOTE:

- All dimensions in this catalogue are in mm, unless otherwise specified.
- Not all products are cleared for sale in all countries.





Pilot Drill

D-3SPADE-ZYG
D-ZYG-RB

Angle indicator

(Ø2.6 mm for use with D-3SPADE-ZYG)
I-ZYG-DI55

Try-in Implants / Angle indicators

(Ø2.8 mm for use with D-ZYG-RB)

ZYG-TR-55-52.5
ZYG-TR-55-45
ZYG-TR-55-35

Ratchet Wrench

I-RATCHET-2

Twist Drills

Ø2.7

D-ZYG-27
D-ZYG-27S
D-ZYG-CH-27
D-ZYG-CH-27S
D-ZYG-27ST-GSM
D-ZYG-27ST-GSL

Ø2.9

D-ZYG-29
D-ZYG-29S
D-ZYG-CH-29
D-ZYG-CH-29S

Ø3.5

D-ZYG-35
D-ZYG-35S

D-35T-M15

Counter-Sinks

D-ZYG-CS
D-ZYG-CS-S

Insertion Tools

I-CON-X / XS

Fixture Mount (Hex)
Driver with W&H

I-CONU-X / XS

Fixture Mount (Universal)
Driver

0.9 Hex Cover Screw Drivers

HEX-09

I-CS-HD/L

Handheld

I-HHD-09

Handpiece

I-WI-09

Wrench

1.22 Hex Drivers

HEX-22-S

I-HD-S/M/L

Handheld

I-HHD-22-S/M/L

Handpiece

I-WI-22-S/M/L

Wrench

1.22/1.27 mm Universal HEX Drivers

HEX22U-S

I-HD22U-S/M/L

Handheld

I-HHD-22U-S/M/L

Handpiece

I-WI-22U-S/M/L

Wrench

NOTE:

- The instrument kit has an intuitive layout to guide the surgeon through the drill sequence.
- Most instruments are available in short / medium / long.
- All instruments and tooling used during the procedure must be maintained in good condition, cleaned and sterilised prior to use. Please consult the Instructions for Use: Southern Implants instrument tray and reusable instruments (CAT-8003 and CAT-8070) for guidance concerning the maintenance of instruments and surgical trays. Please consult the corresponding drill Instructions for Use regarding care and maintenance of drills.

Retractor

I-ZYG-RET-1



Depth Gauges



I-ZYG-DG-1



CHI-DG




Insertion Tools

I-ZYG-INS-1
To fit square on fixture mount



or


I-ZYG-INS-2
To fit hex on fixture mount



NOTE:

- I-ZYG-INS-1 drives on the square of the fixture mount (silver handle for easy identification).
- I-ZYG-INS-2 drives on the hex of the fixture mount. The narrow hex tip allows for more visibility of the implant head (black handle for easy identification).

TOP TRAY



BOTTOM TRAY

Wrench Converters

- I-WI-CST**
For Handpiece inserts (latch-type) featuring the W&H hex.
- I-WI-SL**
For Handpiece inserts (latch-type) without the W&H hex.
- I-WI-SS**
For SQUARE connection of fixture mounts and instruments.
- I-WI-SH**
For HEX connection of fixture mounts.

Flat Spanner
I-SP-X (System specific)

Ratchet Wrench
I-TWS




















Torque Attachments
I-TWS-B45
I-TWS-B100






NOTE:

- This instrument tray is to be customised by the user to be suitable for use with the preferred implant system and its surgical or prosthetic items.
- Most instruments are available in various lengths.

EXPLANATION OF LABELING SYMBOLS

The following symbols are used on packaging labels and they indicate the following:

- 1  Manufacturer
- 2  Colour code indicating platform diameter
- 3  Implant image
- 4  Implant details and size
- 5  Sterilisation using Irradiation
-  European Representative
-  Catalogue number
-  Batch Code
-  Do not Resterilise
-  Consult instruction for use
-  Do not reuse
-  CE mark and notified body number
-  Use by Date
-  Date of manufacture
-  Do not use if package is damaged
-  Identifies the product as a medical device
-  MR Conditional / Magnetic Resonance Conditional
-  Sterile Barrier
- 6 2D Bar coding
Contains the GTIN, Use by Date and LOT Number
- 7 Patient sticker for documentation purposes
(to be used by health care provider on patient file)
- 8  Prescription device
CAUTION: FEDERAL LAW RESTRICTS THE DEVICE TO SALE BY OR ON THE ORDER OF A LICENCED HEALTH CARE PROVIDER.
- 9 Product description
(translated as per international standards)



For more information on Instructions for Use of our products, please scan the below,



or visit our website
southernimplants.com/ifu

For more information scan the below



to contact your Southern Implants Representative
or visit southernimplants.com



South Africa - Headquarters 1 Albert Road, Irene, RSA
T: +27-12-667-1046 | **E:** info@southernimplants.com

EC | REP

Southern Implants Europe AB Holmgatan 30, S-791 71, Falun, Sweden
E: ecrep@southernimplants.com

Subsidiaries

Australia
Southern Implants Australia
T: +61-2-8076-9337
E: info@southernimplants.com.au

Spain and Portugal
Southern Implants Ibérica
T: +34 935 053 507
E: info@southernimplants.es

United Kingdom and Ireland
Southern Implants UK
T: +44-20-8899-6845 / 6 / 7
E: info@southernimplants.co.uk

USA and Canada
Southern Implants North America Inc.
T: +1-561-472-0990
E: customercare@southernimplants.com

Southern Implants are distributed world-wide, please visit southernimplants.com for a list of Distributors.